


# EXTRACT – PRICE LIST

with products of Kromschöder- and Elster-Instromet



**SCHIMANSKI**  
GASTECHNIK

## Your contacts



**Markus Schimanski**  
Management

Telephone +49(0)4186 / 69670 -15  
Fax +49(0)4186 / 69670 -20  
[m.schimanski@schimanski-gastechnik.de](mailto:m.schimanski@schimanski-gastechnik.de)



**Nicole Schimanski**  
Inside Sales

Telephone +49(0)4186 / 69670 -11  
Fax +49(0)4186 / 69670 -20  
[n.schimanski@schimanski-gastechnik.de](mailto:n.schimanski@schimanski-gastechnik.de)

### Schimanski Gastechnik GmbH

Kakenstorfer Straße 14  
21244 Buchholz/Sprötze  
[www.schimanski-gastechnik.de](http://www.schimanski-gastechnik.de)  
[info@schimanski-gastechnik.de](mailto:info@schimanski-gastechnik.de)

Telephone +49(0)4186 / 69670 -10  
Fax +49(0)4186 / 69670 -20  
[www.kuechenabsicherung.de](http://www.kuechenabsicherung.de)  
[www.laborventil.de](http://www.laborventil.de)

Authorized trader for

**Honeywell**  
**krom  
schroder**

# High-pressure positive displacement gas meter G4 – G6, PN 16

## Version for fuel gases according to G260



High-pressure positive displacement gas meter

| Designation | PN | Order no.  | Measurement range                         | Euro     |
|-------------|----|------------|---|----------|
|             |    |            | $Q_{\min} - Q_{\max}$ [m <sup>3</sup> /h] |          |
| G 4 DN 20   | 16 | 83 130 202 | 0.040 – 6                                 | 7,544.00 |
| G 6 DN 25   | 16 | 83 130 802 | 0.060 – 10                                | 9,062.00 |

Including factory testing costs

Special "technical gases" versions (CO<sub>2</sub> / C<sub>2</sub>H<sub>2</sub> etc.) available on request.

All devices are equipped with an S1 rotatable counter head with 2 LF pulse generators (dry reed contact) to connect additional devices (1 m<sup>3</sup> corresponds to 100 pulses).

Pressure and temperature measuring points and a R<sup>1</sup>/<sub>2</sub>" fitting to connect a manometer are located in the housing cover.

## Test gas meter



Test gas meter dry version

Dry version (positive displacement gas meter), max. operating pressure 500 mbar – two nozzles, measuring volume 2.0 l standard version, MOZ30/TPT or E51 (NAMUR) pulse generator.

| Designation | Load range (m <sup>3</sup> /h) | DN | Order no.  | Euro     |
|-------------|--------------------------------|----|------------|----------|
| G 6         | 0.06 – 10                      | 25 | 83 050 000 | 1,261.55 |

### Accessories for dry gas meters

| Designation                            | Order no. | Euro   |
|--|-----------|--------|
| Surcharge for type E51 pulse generator | 5280      | 371.45 |

Type E51 (NAMUR) pulse generator, 10 pulses per pointer rotation (1 pulse per litre)

| Designation  | Order no. | Euro     |
|--|-----------|----------|
| Surcharge for TPT pulse generator open collector, 24 V DC; TTL 5 V | 5280      | 1,007.40 |

Pulse value per pointer rotation 100, 200, 500 or 1000.

Please indicate the pulse value and voltage in your order.

## Test gas meter



Test gas meter wet version

Wet version (drum-type gas meter), max. operating pressure 50 mbar, manometer up to 10 mbar (standard)  
Material: brass

| Designation                          | Load range (dm <sup>3</sup> /h) | DN | Order no.  | Euro      |
|--------------------------------------|---------------------------------|----|------------|-----------|
| 00                                   | 2 – 200                         | 8  | 83 060 000 | 2,846.25  |
| 0                                    | 6 – 625                         | 20 | 83 060 200 | 3,083.15  |
| 1                                    | 12 – 1250                       | 20 | 83 060 400 | 4,342.40  |
| 2                                    | 25 – 2500                       | 25 | 83 060 600 | 5,569.45  |
| 3                                    | 60 – 6000                       | 32 | 83 060 800 | 6,766.60  |
| 4                                    | 100 – 10000                     | 40 | 83 061 000 | 8,988.40  |
| 5                                    | 150 – 15000                     | 40 | 83 061 200 | 10,484.55 |
| Surcharge for fine adjustment nozzle |                                 |    | 73 000 415 | 397.90    |

## Test gas meter



Test gas meter  
wet version (V2A)

Wet version (drum-type gas meter), max. operating pressure 50 mbar, manometer up to 10 mbar (standard)  
Version: V2A

| Designation                          | Load range (dm <sup>3</sup> /h) | DN | Order no.  | Euro      |
|--------------------------------------|---------------------------------|----|------------|-----------|
| 00                                   | 2 – 200                         | 8  | 83 060 001 | 3,406.30  |
| 0                                    | 6 – 625                         | 20 | 83 060 201 | 4,105.50  |
| 1                                    | 12 – 1250                       | 20 | 83 060 401 | 4,917.40  |
| 2                                    | 25 – 2500                       | 25 | 83 060 601 | 6,051.30  |
| 3                                    | 60 – 6000                       | 32 | 83 060 801 | 8,604.30  |
| 4                                    | 100 – 10000                     | 40 | 83 061 001 | 9,539.25  |
| 5                                    | 150 – 15000                     | 40 | 83 061 201 | 13,361.85 |
| Surcharge for fine adjustment nozzle |                                 |    | 73 002 977 | 397.90    |

## Test gas meter



Test gas meter  
wet version (PVC)

Wet version (drum-type gas meter), max. operating pressure 50 mbar, manometer up to 10 mbar (standard)  
Version: PVC

| Designation                          | Load range (dm <sup>3</sup> /h) | DN | Order no.  | Euro      |
|--------------------------------------|---------------------------------|----|------------|-----------|
| 00                                   | 2 – 200                         | 8  | 83 060 100 | 3,752.45  |
| 0                                    | 6 – 625                         | 20 | 83 060 300 | 4,196.35  |
| 1                                    | 12 – 1250                       | 20 | 83 060 500 | 6,050.15  |
| 2                                    | 25 – 2500                       | 25 | 83 060 700 | 6,574.55  |
| 3                                    | 60 – 6000                       | 32 | 83 060 900 | 9,186.20  |
| 4                                    | 100 – 10000                     | 40 | 83 061 100 | 10,484.55 |
| 5                                    | 150 – 15000                     | 40 | 83 061 300 | 14,549.80 |
| Surcharge for fine adjustment nozzle |                                 |    | 73 005 198 | 397.90    |

## High-pressure version



Drum-type gas meter  
high-pressure version

Wet version (drum-type gas meter), for operating pressures up to PN 10, steel or V2A housing, V2A drum

| Designation | Load range (dm <sup>3</sup> /h) | DN | Order no.  | Euro             |
|-------------|---------------------------------|----|------------|------------------|
| 00          | 2 – 200                         | 8  | 00 005 093 | price on request |

## Accessories for “wet” gas meters

| Designation  | Order no. | Euro     |
|--|-----------|----------|
| Surcharge for type E51 (NAMUR) pulse generator                   |           |          |
| Type E51 (NAMUR) pulse generator, 10 pulses per pointer rotation | 5280      | 418.60   |
| Surcharge for TPT pulse generator                                |           |          |
| optional open collector. 24 V DC; TTL 5 V                        | 5280      | 1,081.00 |

Pulse value per pointer rotation 100, 200, 500 or 1000.  
Please indicate the pulse value and voltage in your order.

| Surcharge for additional test points   | Euro   |
|--|--------|
| Standard test: 4 test points (0.1 Q <sub>max</sub> . 0.2 Q <sub>max</sub> . 0.5 Q <sub>max</sub> u. Q <sub>max</sub> ) | 0.00   |
| Special test points: basic rate  | 224.25 |
| Each additional test point   | 46.00  |

## Schimanski Gastechnik GmbH

Kakenstorfer Straße 14  
21244 Buchholz/Sprötze  
[www.schimanski-gastechnik.de](http://www.schimanski-gastechnik.de)  
[info@schimanski-gastechnik.de](mailto:info@schimanski-gastechnik.de)

Telephone +49(0)4186 / 69670 -10  
Fax +49(0)4186 / 69670 -20  
[www.kuechenabsicherung.de](http://www.kuechenabsicherung.de)  
[www.laborventil.de](http://www.laborventil.de)

Authorized trader for

**Honeywell**  
**krom**  
**schroder**